

<text>

AUTENTIC CHA

APRILIA SCHOOL OF CHAMPION



SR SCOOTER OF CHAMPION Corus april

MEET THE SCOOTER THAT APRILIA TEAM RIDERS USE TO GET AROUND THE PADDOCK AND THE PITS BETWEEN ONE RACE AND THE NEXT.

-pains Nor

DO YOU SEE YOUR SCOOTER AS THE ONLY WAY TO GET AROUND AND TO KEEP UP WITH YOUR MATES? THEN THE SR IS THE ONLY CHOICE FOR YOU. BECAUSE THE SR MAKES IT SO MUCH EASIER TO MEET PEOPLE WHO SPEAK THE SAME LANGUAGE, PEOPLE LIKE YOU WHO APPRECIATE **AGGRESSIVE, AERODYNAMIC STYLE** AND ULTIMATE **HANDLING**. DO WHATEVER YOU WANT, BUT RIDE AN SR.







WE SHOULD CERTAINLY NOT OVERLOOK THE BRAND NEW **ACTIVE MATRIX DIGITAL DASHBOARD** WITH ANALOG REV COUNTER AND GENEROUS LCD DISPLAY FOR FUEL, COOLANT TEMPERATURE, CLOCK, SPEEDOMETER, MILEOMETER AND TWO TRIP COUNTERS, JOURNEY TIME AND MAXIMUM SPEED, 16 MEMORY TIMER, BATTERY VOLTAGE, AND COMPLETE DIAGNOSTICS. YOU CAN EVEN ACCESS ALL THESE FUNCTIONS DIRECTLY FROM A CONTROL ON THE HANDLEBARS.









WEB, TECHNOLOGY, ENGINEERING, DESIGN. THIS IS THE WAY YOU TALK, THE WAY YOU SEE AND THE WAY YOU LIVE. BECAUSE YOUR LIFE IS AN UNSTOPPABLE JOURNEY FROM PRESENT TO FUTURE. IN FACT, YOU'VE ALREADY LEFT THE PRESENT BEHIND AND YOU'RE WAY AHEAD. JUST LIKE YOUR SR WITH ITS **PERFECT MIX OF TECHNOLOGY:** DOUBLE DISC BRAKES, HIGH PERFORMANCE SHOCK ABSORBERS, AND THE MOST ADVANCED COMPONENTS YOU CAN GET. PLUS A SECOND GENERATION, DIRECT INJECTION DITECH ENGINE FOR UNBELIEVABLE RELIABILITY

AND ECONOMY. READY FOR TAKE-OFF? DESTINATION: THE FUTURE.

A FANTASTIC ENGINE, CONSUMPTION (AND 50 KM WITH JUST 1 LITRE* IS GOOD NEWS INDEED!).

AND A TRANSPONDER ANTI-THEFT SYSTEM, BECAUSE IT'S BETTER TO BE SAFE THAN SORRY.

THE RIGHT SIZE

EXCELLENT 'BIG BIKE' ROADHOLDING WITH HIGH PERFORMANCE BUT LOW FOR PRECISION, AGILITY AND MAXIMUM SAFETY.

NEITHER TOO SMALL NOR TOO BIG, BUT

JUST AS YOU WOULD WANT

YOUR SCOOTER TO BE.

DOUBLE DISC SYSTEM.

AND ON THE SUBJECT OF SAFETY, YOU CAN RELY ON

MAXIMUM ATTENTION TO DETAIL, TO SATISFY EVEN THE MOST DEMANDING.

SMOOTH, POWERFUL BRAKING FROM A

BUILT TO LAST, BECAUSE THE ROAD AHEAD IS LONG.



AN ENVIABLE LEVEL OF EQUIPMENT: MORE POWERFUL 35 W HEADLIGHTS, SECOND STORAGE COMPARTMENT IN THE FRONT OF THE SEAT, 'BIGE BIKE' SWITCHGEAR AND NUMBER HOLDER, AND REAR SUSPENSION WITH EXPOSED COLOURED SPRINGS. WHAT MORE COULD YOU ASK FOR?

A GREAT LOOKING SCOOTER AGGRESSIVE AND WITH THE RIGHT MIX OF DESIGN SOLUTIONS TO IMPRESS AND GET YOU NOTICED.

THE MOST COMPLETE AND ADVANCED

SCOOTER DASHBOARD EVER SEEN.



* ECE47 SIMULATED URBAN CYCLE.















SPAIN'S N°1

SILVER CROWD

DIABLO BLACK

ORANGE CODE

APRILIA WHITE

REPLICA TALMACSI

SR 50 R FACTORY				SR 50 R			
Engine	Liquid cooled horizontal single cylinder two	Frame	Split single cradle frame in high tensile	Engine	Liquid cooled horizontal single cylinder two	Tyres	Tubeless; front and rear 130/60 x 13"
	stroke. Electronic direct fuel injection		strength steel		stroke.	Dimensions	Max. length 1860 mm
Bore and stroke	40 x 39.3 mm	Front suspension	Hydraulic fork, 90 mm wheel travel	Bore and stroke	40 x 39.3 mm		Max. width 705 mm
Displacement	49 cc	Rear suspension	Engine unit acting as swingarm; frame	Displacement	49 cc		Max. height 1120 mm
Compression ratio	11,5:1		linkages on two radial silent block mountings;	Compression ratio	12,1:1		Seat height 820 mm
Air-oil mix aspiration	Reed valve		wheel travel 70 mm	Air-oil mix aspiration	Reed valve		Wheelbase 1290 mm
Fuel injection	Electronically controlled, air assisted,	Brakes	Front: 190 mm stainless steel disc; racing	Carburettor	Dell'Orto PHVA 17.5	Tank capacity	7 litres
	direct injection into the combustion		calliper with twin opposed 32 mm pistons	Ignition	Capacitor Discharge Ignition (CDI)	Colours	Spain's N°1, Silver Crowd, Diablo Black,
	chamber		Rear: 190 mm stainless steel disc; racing	Starting	Electric		Orange Code, Aprilia White, Replica Talmacsi
Injector type	EFI low flow injector		calliper with twin opposed 30 mm pistons	Generator	Flywheel-magneto 70W - 12V	Accessories	racing shock absorber,
Direct Injecton system	External opening, SMD 8 micron medium	Wheels	Five spoke, light alloy wheels front and rear:	Lubrication	Separate lubrication with mechanical oil		rear luggage rack,
	spray		3.50 x 13"		pump		New Concept 32 litre top box
Pressure regolator	Pressure differential maintained at 2.5 bar	Tyres	Tubeless; front and rear 130/60 x 13"	Oil tank capacity	1,2 litres (0,2 litre reserve)		with optional backrest,
Throttle body	Ø 18 mm throttle body with integtated	Dimensions	Max. length 1860 mm	Gearbox	Continuous automatic converter		large windshield,
	TPS (Throttle Position Sensor)		Max. width 705 mm	Clutch	Automatic centrifugal dry clutch		small (sport) windshield,
Air compressor	Driven off crankshaft, lubricated by air-oil		Max. height 1120 mm	Primary drive	V belt		footplate deflectors,
	mix in crank chamber		Seat height 820 mm	Final drive	Gears in oil bath		side stand,
Fuel pump	6.5 – 8 bar, high pressure pump with low		Wheelbase 1290 mm	Frame	Split single cradle frame in high tensile		Body Guard armoured cable lock
	electrical power absorption, < 0.5 A	Tank capacity	7 litres		strength steel		
Electronic Control Unit	8 Hz clock speed, 22 pin	Colours	Spain's N°1, Silver Crowd, Diablo Black,	Front suspension	Hydraulic fork, 90 mm wheel travel	· ·	
Ignition	High power inductive ignition		Orange Code, Aprilia White, Replica Talmacsi	Rear suspension	Engine unit acting as swingarm; frame		
Starting	Electric	Accessories	racing shock absorber, rear luggage rack,		linkages on two radial silent block		
Generator	Flywheel-magneto, 165W - 12V		New Concept 32 litre top box		mountings; wheel travel 70 mm		
Lubrication	Oil injection with oil pump		with optional backrest,	Brakes	Front: 190 mm stainless steel disc; racing		
Oil tank capacity	1,2 litres (0,2 litre reserve)		large windshield, small (sport) windshield,		calliper with twin opposed 32 mm pistons		
Gearbox	Continuous automatic converter		footplate deflectors, side stand,		Rear: 190 mm stainless steel disc; racing		
Clutch	Automatic centrifugal dry clutch		Body Guard armoured cable lock		calliper with twin opposed 30 mm pistons		
Primary drive	V belt			Wheels	Five spoke, light alloy wheels front and		
Final drive	Gears in oil bath				rear: 3.50 x 13"		



The

SR 50 R / R Factory is an ecological vehicle with communitarian homologation Euro 2, in the respect of the acoustic and atmospheric pollution limits.

Drive safely always wearing a helmet and protective clothing. Observe the laws of the road and respect the environment. Carefully read the owners' handbook. Photographs, technical data, specifications and colors shown in this brochure refer to the Italian market version and may be subject to change without prior notice. Ask your official Aprilia dealers for full details. In order to maintain your machine in a safe and efficient manner, always demand official Aprilia Spare Parts, which are guaranteed by Aprilia Quality Service in respect of current legislation.



trademark is the property of Piaggio & C. S.p.A. aprilia

Aglp

